

Subject Index of Volume 177

Aging

- effect of reinforcement on age hardening of cast 6061 Al-SiC and 6061 Al-Al₂O₃ particulate composites, 19
- effects of aging on the tensile and fatigue behaviour of the near- α Ti-1100 at room temperature and 593 °C, 63

Alloys

- analysis of hydrogen atom transport in a two-phase alloy, 161
- atomic short-range ordering in Au-Fe alloys: a resistometric study, 217
- creep behavior of molybdenum and a molybdenum-hafnium carbide alloy from 1600 to 2100 K, 89
- effect of environment on the rupture behavior of alloys 909 and 718, 43
- nitrogen in pressure-diffused powder iron alloys, 243
- processing of an α -2 aluminide alloy, Ti-24Al-11Nb, 185
- thermal stability of dispersoids in ferritic oxide-dispersion-strengthened alloys, 199

Aluminium

- effect of reinforcement on age hardening of cast 6061 Al-SiC and 6061 Al-Al₂O₃ particulate composites, 19
- interfacial reactions and age hardening in Al-Mg-Si metal matrix composites reinforced with SiC particles, 173
- investigation of fractal dimensions of hydrogen-induced brittle fracture of titanium aluminide, L1
- on the formation of Al₂O₃-Al composite by directed oxidation of molten metals, 135
- processing of an α -2 aluminide alloy, Ti-24Al-11Nb, 185
- strengthening of discontinuous reinforced NiAl composites, 83
- thermal cyclic response of laser-glazed plasma-sprayed ZrO₂-19.5wt.%Y₂O₃ Ni-22Cr-10Al-1Y thermal barrier coatings, 227

Austenite

- embedded-atom/Monte Carlo study of short-range order in nitrogen strengthened Fe-Ni-Cr austenite, 233

Carbon

- an investigation of creep behaviour of a low carbon 18Cr-12Ni (304L type) stainless steel at 873-1173 K, 75
- creep behavior of molybdenum and a molybdenum-hafnium carbide alloy from 1600 to 2100 K, 89
- effect of reinforcement on age hardening of cast 6061 Al-SiC and 6061 Al-Al₂O₃ particulate composites, 19
- microstructure and fracture behavior of SiC-platelet-reinforced Si₃N₄ matrix composites, 151
- SiC-whisker-reinforced ceramics with modulated microstructures, 277
- temperature-induced phase development in titanium-implanted silicon carbide, 209

Ceramics

- experimental and theoretical investigation of the residual stress distribution in brazed ceramic-steel components, 55
- SiC-whisker-reinforced ceramics with modulated microstructures, 277
- tensile damage development in fiber-reinforced ceramic matrix composites, 95

Chromium

- an investigation of creep behaviour of a low carbon 18Cr-12Ni (304L type) stainless steel at 873-1173 K, 75

- embedded-atom/Monte Carlo study of short-range order in nitrogen strengthened Fe-Ni-Cr austenite, 233
- evaluation of stresses in Ni-NiO and Cr-Cr₂O₃ during high temperature oxidation by *in-situ* X-ray diffraction, 115
- thermal cyclic response of laser-glazed plasma-sprayed ZrO₂-19.5wt.%Y₂O₃/Ni-22Cr-10Al-1Y thermal barrier coatings, 227

Composites

- an interactive simulation technique to determine the internal stress states in fiber reinforced metal matrix composites, 125
- effect of reinforcement on age hardening of cast 6061 Al-SiC and 6061 Al-Al₂O₃ particulate composites, 19
- interfacial reactions and age hardening in Al-Mg-Si metal matrix composites reinforced with SiC particles, 173
- microstructure and fracture behavior of SiC-platelet-reinforced Si₃N₄ matrix composites, 151
- on the formation of Al₂O₃-Al composite by directed oxidation of molten metals, 135
- strengthening of discontinuous reinforced NiAl composites, 83
- tensile damage development in fiber-reinforced ceramic matrix composites, 95

Corrosion

- microfractographic aspects of stress corrosion cracking of Inconel 600 in a pressurized water reactor environment, L11

Cracking

- microfractographic aspects of stress corrosion cracking of Inconel 600 in a pressurized water reactor environment, L11

Creep

- an investigation of creep behaviour of a low carbon 18Cr-12Ni (304L type) stainless steel at 873-1173 K, 75
- creep behavior of molybdenum and a molybdenum-hafnium carbide alloy from 1600 to 2100 K, 89

Crystals

- cyclic stress-strain response of polycrystalline nickel, 29

Damage

- tensile damage development in fiber-reinforced ceramic matrix composites, 95

Deformation

- effects of strain rate and temperature on deformation behaviour of IN 718 during high temperature deformation, 1

Degradation

- degradation of the strength of glass after light contact with other materials, 11

Diffusion

- nitrogen in pressure-diffused powder iron alloys, 243

Dispersoids

- thermal stability of dispersoids in ferritic oxide-dispersion-strengthened alloys, 199

Fatigue

- effects of aging on the tensile and fatigue behaviour of the near- α Ti-1100 at room temperature and 593 °C, 63

- Ferrites**
thermal stability of dispersoids in ferritic oxide-dispersion-strengthened alloys, 199
- Fibre reinforcement**
tensile damage development in fiber-reinforced ceramic matrix composites, 95
- Fibres**
an interactive simulation technique to determine the internal stress states in fiber reinforced metal matrix composites, 125
- Fracture**
evaluation of fracture toughness of duplex microstructures by an indentation technique, L7
investigation of fractal dimensions of hydrogen-induced brittle fracture of titanium aluminide, L1
microfractographic aspects of stress corrosion cracking of Inconel 600 in a pressurized water reactor environment, L11
microstructure and fracture behavior of SiC-platelet-reinforced Si_3N_4 matrix composites, 151
- Glass**
degradation of the strength of glass after light contact with other materials, 11
- Gold**
atomic short-range ordering in Au-Fe alloys: a resistometric study, 217
- Hafnium**
creep behavior of molybdenum and a molybdenum-hafnium carbide alloy from 1600 to 2100 K, 89
- Hot working**
processing maps for hot working of commercial grade wrought stainless steel type AISI 304, 143
- Hydrogen**
analysis of hydrogen atom transport in a two-phase alloy, 161
investigation of fractal dimensions of hydrogen-induced brittle fracture of titanium aluminide, L1
- Indentation**
evaluation of fracture toughness of duplex microstructures by an indentation technique, L7
- Interactive simulation techniques**
an interactive simulation technique to determine the internal stress states in fiber reinforced metal matrix composites, 125
- Interfaces**
interfacial reactions and age hardening in Al-Mg-Si metal matrix composites reinforced with SiC particles, 173
- Iron**
atomic short-range ordering in Au-Fe alloys: a resistometric study, 217
embedded-atom/Monte Carlo study of short-range order in nitrogen strengthened Fe-Ni-Cr austenite, 233
nitrogen in pressure-diffused powder iron alloys, 243
- Metals**
an interactive simulation technique to determine the internal stress states in fiber reinforced metal matrix composites, 125
on the formation of Al_2O_3 -Al composite by directed oxidation of molten metals, 135
- Microstructure variability**
correlation of microstructure variability and local stress field in two-phase materials, 253
- Molybdenum**
creep behavior of molybdenum and a molybdenum-hafnium carbide alloy from 1600 to 2100 K, 89
- Neutron diffraction**
ultrasonic and neutron diffraction characterization of texture in an inhomogeneously rolled titanium plate, 261
- Nickel**
an investigation of creep behaviour of a low carbon 18Cr-12Ni (304L type) stainless steel at 873-1173 K, 75
cyclic stress-strain response of polycrystalline nickel, 29
embedded-atom/Monte Carlo study of short-range order in nitrogen strengthened Fe-Ni-Cr austenite, 233
evaluation of stresses in Ni-NiO and Cr-Cr₂O₃ during high temperature oxidation by *in-situ* X-ray diffraction, 115
strengthening of discontinuous reinforced NiAl composites, 83
thermal cyclic response of laser-glazed plasma-sprayed ZrO_2 -19.5wt.% Y_2O_3 /Ni-22Cr-10Al-1Y thermal barrier coatings, 227
- Niobium**
processing of an α -2 aluminide alloy, Ti-24Al-11Nb, 185
- Nitrogen**
embedded-atom/Monte Carlo study of short-range order in nitrogen strengthened Fe-Ni-Cr austenite, 233
microstructure and fracture behavior of SiC-platelet-reinforced Si_3N_4 matrix composites, 151
nitrogen in pressure-diffused powder iron alloys, 243
- Oxidation**
on the formation of Al_2O_3 -Al composite by directed oxidation of molten metals, 135
- Oxygen**
effect of reinforcement on age hardening of cast 6061 Al-SiC and 6061 Al- Al_2O_3 particulate composites, 19
evaluation of stresses in Ni-NiO and Cr-Cr₂O₃ during high temperature oxidation by *in-situ* X-ray diffraction, 115
on the formation of Al_2O_3 -Al composite by directed oxidation of molten metals, 135
thermal cyclic response of laser-glazed plasma-sprayed ZrO_2 -19.5wt.% Y_2O_3 /Ni-22Cr-10Al-1Y thermal barrier coatings, 227
- Phase development**
temperature-induced phase development in titanium-implanted silicon carbide, 209
- Powders**
nitrogen in pressure-diffused powder iron alloys, 243
- Reinforcement**
interfacial reactions and age hardening in Al-Mg-Si metal matrix composites reinforced with SiC particles, 173
- Rupture**
effect of environment on the rupture behavior of alloys 909 and 718, 43
- Silicon**
effect of reinforcement on age hardening of cast 6061 Al-SiC and 6061 Al- Al_2O_3 particulate composites, 19
interfacial reactions and age hardening in Al-Mg-Si metal matrix composites reinforced with SiC particles, 173
microstructure and fracture behavior of SiC-platelet-reinforced Si_3N_4 matrix composites, 151
SiC-whisker-reinforced ceramics with modulated microstructures, 277

- temperature-induced phase development in titanium-implanted silicon carbide, 209
- Silver
interfacial reactions and age hardening in Al-Mg-Si metal matrix composites reinforced with SiC particles, 173
- Slip extrusion
whisker alignment by slip extrusion, 269
- Stainless steel
processing maps for hot working of commercial grade wrought stainless steel type AISI 304, 143
- Steel
an investigation of creep behaviour of a low carbon 18Cr-12Ni (304L type) stainless steel at 873-1173 K, 75
experimental and theoretical investigation of the residual stress distribution in brazed ceramic-steel components, 55
- Strain
cyclic stress-strain response of polycrystalline nickel, 29
effects of strain rate and temperature on deformation behaviour of IN 718 during high temperature deformation, 1
- Stress
an interactive simulation technique to determine the internal stress states in fiber reinforced metal matrix composites, 125
correlation of microstructure variability and local stress field in two-phase materials, 253
cyclic stress-strain response of polycrystalline nickel, 29
evaluation of stresses in Ni-NiO and Cr-Cr₂O₃ during high temperature oxidation by *in-situ* X-ray diffraction, 115
experimental and theoretical investigation of the residual stress distribution in brazed ceramic-steel components, 55
microfractographic aspects of stress corrosion cracking of Inconel 600 in a pressurized water reactor environment, L11
- Tensiles
effects of aging on the tensile and fatigue behaviour of the near- α Ti-1100 at room temperature and 593 °C, 63
- tensile damage development in fiber-reinforced ceramic matrix composites, 95
- Texture
ultrasonic and neutron diffraction characterization of texture in an inhomogeneously rolled titanium plate, 261
- Thermal stability
thermal stability of dispersoids in ferritic oxide-dispersion-strengthened alloys, 199
- Titanium
effects of aging on the tensile and fatigue behaviour of the near- α Ti-1100 at room temperature and 593 °C, 63
investigation of fractal dimensions of hydrogen-induced brittle fracture of titanium aluminide, L1
processing of an α -2 aluminide alloy, Ti-24Al-11Nb, 185
temperature-induced phase development in titanium-implanted silicon carbide, 209
ultrasonic and neutron diffraction characterization of texture in an inhomogeneity rolled, titanium plate, 261
- Whiskers
SiC-whisker-reinforced ceramics with modulated microstructures, 277
whisker alignment by slip extrusion, 269
- X-ray diffraction
evaluation of stresses in Ni-NiO and Cr-Cr₂O₃ during high temperature oxidation by *in-situ* X-ray diffraction, 115
- Yttrium
thermal cyclic response of laser-glazed plasma-sprayed ZrO₂-19.5wt.%Y₂O₃/Ni-22Cr-10Al-1Y thermal barrier coatings, 227
- Zirconium
thermal cyclic response of laser-glazed plasma-sprayed ZrO₂-19.5wt.%Y₂O₃/Ni-22Cr-10Al-1Y thermal barrier coatings, 227

